
# Beltrami County, Minnesota

# [Absence of an entry indicates that data were not estimated]

Management	Datast			Potenti	al for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
32B: Nebish	85	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Nobion	00	0000	0000	Coou	Cood	Cood	very poor	very poor	Coou	Cood	very poor
32C: Nebish	85	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
32D: Nebish	85	Poor	Fair	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
48: Hiwood	90	Poor	Fair	Fair	Poor	Fair	Poor	Poor	Fair	Fair	Poor
72: Shooker	70	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
77: Garnes	85	Good	Good	Good	Good	Fair	Poor	Poor	Good	Good	Poor
116: Redby	90	Poor	Fair	Good	Fair	Good	Fair	Fair	Fair	Good	Fair
117: Cormant	90	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
121: Wykeham	70	Good	Good	Good	Good	Fair	Poor	Poor	Good	Good	Poor
125: Beltrami	70	Fair	Fair	Fair	Poor	Fair	Fair	Poor	Fair	Good	Poor




# Beltrami County, Minnesota


	5			Potent	ial for habitat	elements			Pote	ntial as hab	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
147:											
Spooner	85	Good	Fair	Good	Good	Good	Fair	Fair	Good	Good	Fair
158B:											
Zimmerman	90	Poor	Poor	Fair	Fair	Good	Very poor	Very poor	Poor	Fair	Very poor
158C:											
Zimmerman	90	Poor	Poor	Fair	Fair	Good	Very poor	Very poor	Poor	Fair	Very poor
167:											
Baudette	85	Good	Good	Good	Good	Fair	Very poor	Very poor	Good	Good	Very poor
191:											
Epoufette	90	Fair	Fair	Poor	Poor	Poor	Good	Good	Fair	Poor	Good
199B:											
Sol	85	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
199C:											
Sol	85	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
202:		_									
Meehan	90	Poor	Fair	Good	Fair	Fair	Fair	Fair	Fair	Fair	Fair
205: Karlstad	90	Poor	Fair	Fair	Fair	Fair	Poor	Very poor	Poor	Fair	Very poor
240B:											
Warba	85	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor



	D			Potent	ial for habitat	elements			Pote	ntial as hab	itat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Good Poor Good Good Good Good Fair Poor	Wetland wild- life
240C:											
Warba	85	Fair	Good	Good	Good	Poor	Very poor	Very poor	Good	Good	Very poor
242B:											
Marquette	90	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
242C:											
Marquette	90	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
243:											
Stuntz	85	Fair	Good	Good	Good	Fair	Fair	Fair	Fair	Good	Fair
267B:											
Snellman	85	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Poor
267C:											
Snellman	85	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
267D:											
Snellman	85	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
272:											
Bemidji	85	Fair	Fair	Fair	Good	Good	Poor	Very poor	Fair	Good	Poor
280:											
Pelan	85	Poor	Fair	Fair	Poor	Fair	Poor	Poor	Fair	Fair	Poor
328B:											
Sartell	90	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor




Man and al	Datast			Potenti	al for habitat	elements			Pote	ntial as hab	itat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life  Good  Fair  Fair  Fair  Fair  Fair  Good  Good	Wetland wild- life
404:											
Chilgren	85	Good	Good	Good	Good	Fair	Good	Fair	Good	Good	Fair
432: Strandquist	85	Fair	Fair	Fair	Fair	Poor	Good	Good	Good	Fair	Good
439: Rockwell	85	Fair	Fair	Good	Fair	Fair	Good	Good	Fair	Fair	Good
458B: Menahga	90	Poor	Poor	Fair	Poor	Fair	Very poor	Very poor	Poor	Fair	Very poor
458C: Menahga	90	Poor	Poor	Fair	Poor	Fair	Very poor	Very poor	Poor	Fair	Very poor
458D: Menahga	90	Very poor	Poor	Fair	Poor	Fair	Very poor	Very poor	Poor	Fair	Very poor
481: Kratka	85	Fair	Good	Good	Fair	Poor	Good	Fair	Fair	Fair	Fair
482: Grygla	85	Poor	Fair	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair
496B: Andrusia	85	Poor	Fair	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
496C: Andrusia	85	Poor	Fair	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor



# Beltrami County, Minnesota

				Potent	ial for habitat	elements			Pote	ntial as habi	at for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
496D:											
Andrusia	85	Poor	Fair	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
503B: Balmlake	85	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
503C: Balmlake	85	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
503D: Balmlake	85	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
505B: Debs	85	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
505C: Debs	85	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
514: Tacoosh	85	Poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
534: Mooselake	85	Very poor	Poor	Poor	Poor	Fair	Good	Good	Poor	Poor	Good
538: Waskish	85	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
540: Seelyeville	85	Very poor	Poor	Good	Poor	Poor	Good	Good	Fair	Poor	Good



Management	Data of			Potent	ial for habitat	elements			Pote	ntial as habit	at for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Poor Poor Poor Poor Poor Poor Very poor Very poor Very poor	Wetland wild- life
											_
541:											
Rifle	85	Fair	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
543:											
Markey	85	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
544:											
Cathro	85	Poor	Fair	Fair	Fair	Fair	Good	Good	Poor	Fair	Good
545:											
Rondeau	85	Poor	Poor	Poor	Very poor	Very poor	Good	Good	Poor	Very poor	Good
546:											
Lupton	85	Fair	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
547:											
Deerwood	85	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good
549:			_						_		
Greenwood	85	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
560:			_	_	_	_			_	_	
Greenwood	50	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
Lobo	40	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Fair
561:											
Bullwinkle	85	Very poor	Poor	Poor	Poor	Fair	Good	Good	Poor	Fair	Good



	T			Potent	ial for habitat	elements			Poter	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
											_
563: Northwood	85	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good
565:											
Eckvoll	85	Poor	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor
582:											
Roliss	85	Good	Good	Good	Fair	Fair	Good	Fair	Good	Fair	Fair
607:											
Pengilly, frequently flooded	85	Poor	Poor	Fair	Fair	Fair	Fair	Good	Poor	Poor	Good
616:											
Effie	85	Fair	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
620B:											
Cutaway	85	Fair	Fair	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
620C:											
Cutaway	85	Fair	Fair	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
621:											
Morph	85	Fair	Fair	Good	Fair	Fair	Good	Fair	Fair	Fair	Fair
624:											
Rosy	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor



	D (			Potenti	al for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Good Good Good Foor Poor Fair Fair	Wetland wild- life
625: Sandwick	90	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
626B: Suomi	85	Fair	Good	Fair	Good	Good	Poor	Very poor	Fair	Good	Poor
626C: Suomi	85	Fair	Good	Fair	Good	Good	Poor	Very poor	Fair	Good	Poor
626D: Suomi	85	Poor	Fair	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
627: Tawas	85	Poor	Fair	Poor	Poor	Poor	Good	Good	Fair	Poor	Good
628: Talmoon	85	Poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
653: Smiley	85	Fair	Fair	Poor	Poor	Poor	Good	Poor	Poor	Poor	Fair
676B: Kost	80										
702: Bullwinkle	50	Very poor	Poor	Poor	Poor	Fair	Good	Good	Poor	Fair	Good
Cathro	40	Poor	Fair	Fair	Fair	Fair	Good	Good	Poor	Fair	Good



				Potenti	al for habitat	elements			Pote	ntial as hab	itat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
											_
709B:											
Lengby	85	Good	Good	Good	Good	Fair	Poor	Very poor	Good	Good	Very poor
709C:											
Lengby	85	Good	Good	Good	Good	Fair	Poor	Very poor	Good	Good	Very poor
709D: Lengby	85	Fair	Fair	Good	Good	Fair	Poor	Very poor	Fair	Good	Very poor
_=g.,	00							, p			, p
712:		Fair	<b>-</b> :-	E-1-	Fair	F-:-	0 1	0 1	<b>-</b>	<b>F</b> .:.	0 1
Rosewood	90	Fair	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
765:											
Smiley	85	Good	Good	Fair	Fair	Fair	Fair	Good	Fair	Fair	Good
799:											
Seelyeville, frequently	50	Very poor	Poor	Good	Poor	Poor	Good	Good	Good	Fair	Good
flooded											
Bowstring, frequently flooded	40	Very poor	Poor	Good	Poor	Poor	Good	Good	Poor	Poor	Good
867B:											
Graycalm	50	Poor	Poor	Fair	Good	Good	Very poor	Very poor	Poor	Good	Very poor
Marakas	40	D	D	E-1-	D	F-:-	\/	\	D	<b>F</b> .:.	
Menahga	40	Poor	Poor	Fair	Poor	Fair	Very poor	Very poor	Poor	Fair	Very poor
867C:											
Graycalm	50	Poor	Poor	Fair	Good	Good	Very poor	Very poor	Poor	Good	Very poor




	D			Potent	ial for habitat	elements			Pote	ntial as habi	itat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
867C:											
Menahga	40	Poor	Poor	Fair	Poor	Fair	Very poor	Very poor	Poor	Fair	Very poor
1033:											
Oxyaquic Udipsamments	55	Poor	Fair	Good	Fair	Good	Fair	Fair	Fair	Good	Fair
Aquents	30	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
1057:											
Fluvaquents, frequently flooded, loamy	50										
Hapludalfs	45										
1085B:											
Urban land	80										
Graycalm	20	Poor	Poor	Fair	Good	Good	Very poor	Very poor	Poor	Good	Very poor
1085C:											
Urban land	65										
Graycalm	25	Poor	Poor	Fair	Good	Good	Very poor	Very poor	Poor	Good	Very poor
1086:											
Urban land	55										
Cormant	35	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good



# Beltrami County, Minnesota


Map symbol and soil name	Dates			Potent	al for habitat	elements			Pote	ntial as habit	at for
	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life  Very poor  Very poor  Very poor  Fair  Good  Poor  Very poor  Very poor	Wetland wild- life
1113:											
Cathro, ponded	25	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
Haslie, ponded	25	Very poor	Very poor	Poor	Very poor	Very poor	Good	Good	Poor	Very poor	Good
Seelyeville, ponded	25	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
1200: Egglake	75	Good	Good	Good	Good	Good	Good	Good	Fair	Fair	Good
1206: Cormant	55	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Redby	35	Poor	Fair	Good	Fair	Good	Fair	Fair	Fair	Good	Fair
1804: Hamre, ponded	85	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good
1807: Cathro, ponded	85	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
1808: Markey, ponded	85	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
1878: Hamre	85	Fair	Fair	Poor	Poor	Poor	Good	Good	Fair	Poor	Good
1922: Chilgren, very stony	85	Good	Good	Good	Good	Fair	Good	Fair	Good	Good	Fair



	<b>D</b>			Potenti	al for habitat	elements			Poter	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
1923:											
Garnes, very stony	85	Good	Good	Good	Good	Fair	Poor	Poor	Good	Good	Poor
1924:											
Grygla, very stony	85	Poor	Fair	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair
1925:											
Eckvoll, very stony	85	Poor	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor
1935:											
Epoufette	90	Poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Fair
1939:											
Northwood, very stony	85	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good
1959:											
Nary	85	Fair	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor
1991:											
Stuntz	85	Fair	Good	Good	Good	Fair	Fair	Fair	Fair	Good	Fair
1993B:											
Snellman	55	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Poor
M. dealers	40	Orest	Oned	0.5	Orest	Fata	D	Dece	Oned	0	Dr
Wykeham	40	Good	Good	Good	Good	Fair	Poor	Poor	Good	Good	Poor
2017B:											
Zimmerman	45										



	5			Potent	ial for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
											_
2017B: Andrusia	35										
2017C:											
Zimmerman, rolling	45										
Andrusia, rolling	35										
2017E:											
Zimmerman, hilly	45										
Andrusia, hilly	35										
2018B:											
Eagleview	45										
Two Inlets	35										
2018C:											
Eagleview, rolling	45	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Two Inlets, rolling	35	Very poor	Poor	Fair	Poor	Fair	Very poor	Very poor	Poor	Fair	Very poor
2018E:											
Eagleview, hilly	45										
Two Inlets, hilly	35										



Map symbol and soil name				Potent	ial for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
2020B:											
Zimmerman	40										
Snellman	30										
2020C:											
Zimmerman, rolling	45										
Snellman, rolling	30										
2020E:											
Zimmerman, hilly	45										
Snellman, hilly	30										
2021B:											
Debs, till substratum	40										
Snellman	30										
2021C:											
Debs, till substratum, rolling	40	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Snellman, rolling	30	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
2021E:											
Debs, till substratum, hilly	45	Very poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor



Map symbol and soil name	<u> </u>			Potenti		Potential as habitat for					
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
											_
2021E:											
Snellman, hilly	35	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
2022B:											
Wykeham	40										
Baudette, till substratum	35										
2023A:											
Egglake	40										
Spooner, till substratum	35										
2024B:											
Snellman	55										
Zimmerman	25										
2025A:											
Fluvaquents, frequently flooded	40	Very poor	Poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good
Egglake	25	Good	Good	Good	Good	Good	Good	Good	Fair	Fair	Good
Sax, depressional	20										
2026B:											
Lengby	45										



	D			Potent	ial for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
2026B:											
Snellman	30										
2026C:											
Lengby	45										
Snellman, rolling	30										
2026E:											
Lengby	45										
Snellman, hilly	30										
2030A:											
Hiwood	75	Poor	Fair	Fair	Poor	Fair	Poor	Poor	Fair	Fair	Poor
2031A:											
Redby	75	Poor	Fair	Good	Fair	Good	Fair	Fair	Fair	Good	Fair
·											
2032A: Cormant	75	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Comiant	75	FOOI	raii	raii	raii	raii	Good	Good	raii	i ali	Good
2034B:											
Zimmerman	80	Poor	Poor	Fair	Fair	Good	Very poor	Very poor	Poor	Fair	Very poor
2035A:											
Epoufette	75										



# Beltrami County, Minnesota

Map symbol	5. (			Potenti	al for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
00004												
2036A: Meehan	75											
	-											
2037A: Karlstad	75											
2038B:												
Marquette	65											
2038C: Marquette	75											
B43A:												
Northwood	70	Poor	Poor	Poor	Poor	Poor	Good	Good	Fair	Poor	Good	
Berner	20	Very poor	Poor	Fair	Poor	Fair	Good	Good	Poor	Poor	Good	
B58B:												
Wurtsmith	45											
Meehan	40											
B60B:												
Ricelake	60											
Cutaway	30											
B70A:												
Ricelake	60											



	D. (			Potent	ial for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
B70A:												
Blomford	30											
B76A:												
Deford	55											
Leafriver	25											
B77A:												
Meehan	60											
Deford	30											
B78B:												
Graycalm	60											
Grettum	30											
B109A:												
Bowstring, mlra 88, frequently flooded	45	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
Fluvaquents, mlra 88, frequently flooded	40	Very poor	Poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good	
B200A:												
Garnes	70	Good	Good	Good	Good	Fair	Poor	Poor	Good	Good	Poor	



# Beltrami County, Minnesota


	D (			Potenti	al for habitat	elements			Poter	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
B201A:											
Chilgren	75	Fair	Good	Fair	Fair	Fair	Good	Fair	Fair	Good	Fair
B202A:											
Cathro, depressional, mlra 88	80	Poor	Fair	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
B203A: Northwood, depressional, mlra 88	75	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good
B204A:											
Roliss, mlra 88	75	Fair	Good	Fair	Fair	Fair	Good	Fair	Good	Fair	Fair
B205A:											
Berner, depressional, mlra 88	80	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
B206A:											
Hamre, depressional, mlra 88	80	Poor	Fair	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
B207A:											
Pelan	70	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Fair	Poor
B208A:											
Grygla	75	Fair	Good	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair
B210A:											
Eckvoll	70	Fair	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor



	D			Potent	ial for habitat	elements			Pote	ntial as habit	at for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
B211A:											
Berner, Ponded	45	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
Cathro, Ponded	45	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
GP:											
Pits, gravel	80										
Udipsamments	20										
H87:											
Suomi, nearly level and undulating	45	Fair	Good	Fair	Good	Good	Poor	Very poor	Fair	Good	Poor
Aeric glossaqualfs, nearly level and undulating	30	Fair	Fair	Fair	Poor	Fair	Fair	Poor	Fair	Good	Poor
H88:											
Suomi, gently undulating to hilly	45	Poor	Fair	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Aeric glossaqualfs, gently undulating to hilly	30	Fair	Fair	Fair	Poor	Fair	Fair	Poor	Fair	Good	Poor
I8A:											
Cathro	80	Poor	Fair	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
I12A:											
Eckvoll	70	Fair	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor



Man averbal	Data of			Potent	al for habitat	elements			Pote	ntial as habit	abitat for	
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
I27A: Hamre	80	Poor	Fair	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
100 4												
I38A: Kratka	70	Fair	Good	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair	
I45A:												
Northwood	75	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good	
I50A:												
Reiner	70	Good	Good	Good	Good	Good	Poor	Poor	Fair	Fair	Poor	
I53A:												
Roliss	75	Fair	Good	Fair	Fair	Fair	Good	Fair	Good	Fair	Fair	
I59A:												
Smiley	65	Fair	Good	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair	
I60A:	00	Daar	Daar	Fair	Door	Deer	0	Dann	Daar	Door	Cood	
Smiley, depressional	80	Poor	Poor	Fair	Poor	Poor	Good	Poor	Poor	Poor	Good	
I61A: Strandquist	70	Fair	Fair	Fair	Fair	Poor	Good	Good	Good	Fair	Good	
	70	i un	T dii	T dii	r un	1 001	Cood	Coou	0000	r un	Coou	
I71A: Berner, Ponded	45	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good	
						,,				,,		
Cathro, ponded	45	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good	




Map symbol and soil name				Potent	ial for habitat	elements			Pote	ntial as habi	tat for
	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
I72A:											
Pelan	65	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Fair	Poor
J5:											
Alfic udipsamments	80	Poor	Poor	Fair	Fair	Good	Very poor	Very poor	Poor	Fair	Very poor
J6:											
Graycalm	50	Poor	Poor	Fair	Good	Good	Very poor	Very poor	Poor	Good	Very poor
Typic udipsamments	35	Poor	Poor	Fair	Poor	Fair	Very poor	Very poor	Poor	Fair	Very poor
Typic ddipsamments	35	1 001	1 001	ı alı	1 001	ı alı	very poor	very poor	1 001	ı alı	very poor
J7:	45	Card	0	0	Card	0	\/	\/a==.====	0	0	\/a=.===
Warba	45	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Stuntz	35	Fair	Good	Good	Good	Fair	Fair	Fair	Fair	Good	Fair
J8:											
Glossic eutroboralfs	80	Fair	Good	Good	Good	Poor	Very poor	Very poor	Good	Good	Very poor
J9:											
Aeric glossaqualfs,	80	Fair	Fair	Fair	Poor	Fair	Fair	Poor	Fair	Good	Poor
clayey subsoil											
J10:											
Aqualfs	85	Poor	Fair	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair
J11:											
Warba	40	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor



Map symbol and soil name				Potenti	al for habitat	elements			Pote	ntial as habi	tat for
	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
J11:											
Stuntz	30	Fair	Good	Good	Good	Fair	Fair	Fair	Fair	Good	Fair
Arenic eutroboralfs	20	Fair	Fair	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
J19:											
Aquic eutroboralfs	85	Poor	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor
M-W:											
Water, miscellaneous	100										
N77:											
Udipsamments	85	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
N78:											
Psammentic eutroboralfs, sandy, nearly level	85	Poor	Poor	Fair	Good	Good	Very poor	Very poor	Poor	Good	Very poor
N79:											
Psammentic eutroboralfs, sandy, rolling	85	Poor	Poor	Fair	Good	Good	Very poor	Very poor	Poor	Good	Very poor
N80:											
Cutaway	50	Fair	Fair	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
Hiwood	30	Poor	Fair	Fair	Poor	Fair	Poor	Poor	Fair	Fair	Poor
N84:											
Humaquepts	85	Poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Fair



	5.,			Potent	ial for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
O92:												
Hiwood	40	Poor	Fair	Fair	Poor	Fair	Poor	Poor	Fair	Fair	Poor	
Zimmerman	35	Poor	Poor	Fair	Fair	Good	Very poor	Very poor	Poor	Fair	Very poor	
O94:												
Redby	80	Poor	Fair	Good	Fair	Good	Fair	Fair	Fair	Good	Fair	
O97:												
Humaquepts, sandy	85	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
***												
W: Water	100											
	100											
X01:	0.5	Voru poor	Poor	Good	Poor	Poor	Good	Good	Fair	Poor	Good	
Histosols, depressional	85	Very poor	F001	Good	POOI	P001	Good	Good	Ган	P001	Good	
X02:												
Borohemists, acid	85	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
X03:												
Borohemists, nonacid	50	Fair	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
Borosaprists	35	Very poor	Poor	Good	Poor	Poor	Good	Good	Fair	Poor	Good	
V04:												
X04: Borosaprists, frequently flooded	50	Very poor	Poor	Good	Poor	Poor	Good	Good	Fair	Poor	Good	



Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
X04: Bowstring, frequently flooded	35	Very poor	Poor	Good	Poor	Poor	Good	Good	Poor	Poor	Good
X05: Borohemists, nonacid	85	Fair	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good

